



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/816,370	03/26/2001	Yukihiro Abiko	122.1447	7330

21171 7590 02/01/2006

STAAS & HALSEY LLP
SUITE 700
1201 NEW YORK AVENUE, N.W.
WASHINGTON, DC 20005

EXAMINER

NGUYEN, HUY THANH

ART UNIT	PAPER NUMBER
----------	--------------

2616

DATE MAILED: 02/01/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 09/816,370	Applicant(s) ABIKO ET AL.	
	Examiner HUY T. NGUYEN	Art Unit 2616	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 07 November 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1 and 4-18 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1 and 4-18 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

2. Claims 1,4-5,7 ,10-11 ,13 and 16-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Shimizu et al (6,311,013) in view of Hirayama et al (5,630,006).

Regarding claim 1, Shimizu discloses a video recording and reproducing apparatus (Figs. 8, 10) comprising:

randomly accessible data storage means for storing the images recorded in said image recording means (column 14, line 62 to column 15, line 37);

image synthesizing means (mixing means) for synthesizing in one screen a plurality of images read out from said data storage means (column 15 lines 1-22) ; and information processing means (controller, Fig.8) for controlling said data storage means and said image synthesizing means ,wherein said information processing mean; controls said data storage means and said image synthesizing means in such a manner that a plurality of images recorded in said image recording means at different time points are read from said data storage means and synthesized and displayed in a single screen (Figs 12 and 13).

Shimizu fails to specifically teach that the apparatus further comprising a recording means for recording the video input. However, it is noted that provide a recording for a recording/ reproducing apparatus is well known in the art as taught by Hirayama (Fig. 1, column 4). Therefore , it would have been obvious to one of ordinary skill in the at to modify Nakamura with Hirayama by providing the apparatus of Shimuzu with a recording mean as taught by Hirayama thereby enhancing the function of the apparatus of Shimuzu and provide more convenience to the user in selecting a desired video program .

Method claim 7 and 13 correspond to apparatus claim 1. Therefoe method claims 7 and 13 are rejected by the same reason as applied to apparatus claim 1.

Further for claim 13, Shimuzu as modified with Hirayama further teaches a medium for storing a program comprising the steps recited in the claim since Shimuzu teaches reproducing and synthesizing the images are executed and controlled by a controller (Fig. 8).

Regarding claims 4,10 and 16, Shimizu as modified with Hirayama further teaches a user interface means interposed between said information processing means and the user, wherein a plurality of the image contents stored in said data storage means are converted into a data base capable of being searched and sorted, and at least one of the image contents included in a group of image contents searched for and sorted from said data base (column 10, lines 50-68, column 16, line 50 to column 17, line 5) , and synthesizing the changed image contents with the image content at the same time and is displayed in a single screen in accordance with the information input from said user interface means (See Hirayama (Figs 4-6,, column 6, lines 15-55).

Regarding claims 5,11 and 17 , Shimuzu as modified with Hirayama further teaches wherein the image contents selected through said user interface means are changed to other image contents and the resulting image contents are displayed in a single screen by being synthesized with the image contents under generation (See Hirayama column 6, lines 20-42, Fig. 5).

Applicant argues Shimuzu fails to teach a plurality of image recorded at different time points are read . In response, the examiner disagrees. It is noted that Shimizu discloses a that the images of different angles are recoded on a medium at different areas and at different time. The recoded images of different angles are stored in a storage means and are read out from the storage means and then are synthesized by a synthesizing means to form a multi images of different angles. Since each image of a angle is recorded at different time from an image of another

angle, the images are recorded at different time point (See Shimuzu (column 5 lines 1-12).

3. Claims 1-3 ,6-9, 12-15 and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nakamura et al (5,970,205) in view of Yonemitsu (5,592,450).

Regarding claim 1, Nakamura discloses a video recording and reproducing apparatus comprising:

randomly accessible data storage means (video RAM 43) for storing the images recorded in said image recording means (column 14, lines 8-25);

image synthesizing means for synthesizing in one screen a plurality of images read out from said data storage means (Fig. 12, column 14, lines 1-41) ; and

information processing means for controlling said data storage means and said image synthesizing means;

wherein said information processing mean; controls said data storage means and said image synthesizing means in such a manner that a plurality of images recorded in said image recording means at different time points are read from said data storage means and synthesized and displayed in a single screen 1 said image synthesizing means (Figs 12 and 13 .

Nakamura fails to specifically teach that the apparatus further comprising a recording means for recording the video input. However, it is noted that provide a recording for a recording/ reproducing apparatus is well known in the art as taught by Yonemitsu et al (Figs. 1,32, columns 29, and 30). Therefore , it would have been obvious to one of ordinary skill in the art to modify Nakamura with Yonemitsu by

Art Unit: 2616

providing the apparatus of Nakamura with a recording mean as taught by Yonemitsu thereby enhancing the function of the apparatus of Nakamura and provide more convenience to the user in selecting a desired video program .

Applicant argues Nakamura fails to teach a plurality of image recorded at different time points are read . In response, the examiner disagrees. It is noted that Nakamura discloses that the images recorded at different time points are read out and synthesized to form a multi image screen. Nakamura teaches that the images being synthesized are sequential read out from different positions on the medium. Since the images are recorded at different positions on the medium the image are recorded at different time points . See Nakamura columns 15-16).

Method claims 7 and 13 correspond to apparatus claim 1. Therefore method claims 7 and 13 are rejected by the same reason as applied to apparatus claim 1.

Further for claim 13, Nakamura as modified with Yonemitsu further teaches a medium for storing a program comprising the steps recited in the claim since Nakamura teaches reproducing and synthesizing the images are executed and controlled by a controller (Fig. 1).

Regarding claims 2,8 and 14, Nakamura further teaches a plurality of said image recorded at different time points are a plurality of image contents recorded at different time points or a plurality of images recorded at different time points for a given one image content (Figs. 12-13, column 16).

Regarding claims 3,9 and 15, Nakamura further teaches a user interface means interposed between said information processing means and the user, wherein the special reproduction functions including at least selected one of rapid feed and pause are performed on the image contents selected arbitrarily through said user interface means (column 15, lines 40-55 using FF key, RF key or pause key) .

Regarding claims 6,12 and 18 , Nakamura further teaches user interface means interposed between said information processing means and the user, wherein said sound select means outputs only the sound corresponding to the image contents reproduced in the reproduction display area selected by said user interface means (column 17, lines 35-65).

4. Claims 4,5,10,11 and 16-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nakamura et al (5,970,205) in view of Yonemitsu (5,592,450) as applied to claims 1,7 and 13 above , further in view of Akiha et al (6,377,745).

Regarding claims 4,10 and 16, Nakamura further teaches user interface means interposed between said information processing means and the user, wherein a plurality of the image contents stored in said data storage means are converted into a data base capable of being searched and sorted, and at least one of the image contents included in a group of image contents searched for and sorted from said data base (column 10, lines 50-68, column 16, line 50 to column 17, line 5) , but fails to teach reproducing and synthesizing the changed image contents with the image content at the same time and

Art Unit: 2616

is displayed in a single screen in accordance with the information input from said user interface means .

Akiha teaches a reproducing apparatus having a control means for displaying the images of different time point and changing the image content when an image is selected and displayed the changed mage content the same time with the image contents (column 9, lines 40-55, Fig. 7). Therefore ,it would have been obvious to one of ordinary skill in the art to modify Nakamura with Akiha by providing the apparatus Nakamura with a control means as taught by Akiha thereby providing more convenience to the user in selecting a scene or portion of a video program for viewing .

Regarding claims 5,11 and 17 , Nakamura fails to teaches means for wherein the image contents selected through said user interface means are changed to other image contents and the resulting image contents are displayed in a single screen by being synthesized with the image contents under generation.

Akiha teaches a reproducing apparatus having a control means for displaying the images of different time point and changing the image content when an image is selected (column 9, lines 40-55, Fig. 7). Therefore ,it would have been obvious to one of ordinary skill in the art to modify Nakamura with Akiha by providing the apparatus Nakamura with a control means as taught by Akiha thereby providing more convenience to the user in selecting a scene or portion of a video program for viewing .

Conclusion

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Posa et al, Astle, Nakamura and Park teaches apparatus for synthesizing the images recorded on a medium .

6. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.


7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to HUY T. NGUYEN whose telephone number is (571) 272-7378. The examiner can normally be reached on 8:30AM -6:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, James Groody can be reached on (571) 272-7950. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2616

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

H.N


HUYEN
PRIMARY EXAMINER